

Technical data



IMPRESSA S9 One Touch

Key technologies

Intelligent Pre Brew Aroma System (I.P.B.A.S.©)	■
Two cups in a single brewing operation	■
CLARIS plus filter cartridge (I.P.W.S.© compatible)	■
Variable brewing unit	5 – 16 g
Powerful 6-level conical grinder	■
High-performance pump, 15 bar	■
Thermoblock heating system	■
Additional pre-ground coffee powder	■
Integrated rinsing/cleaning/descaling programme	■
Adjustable water hardness	■
Automatic recognition of filter change	■
Automatic recognition of maintenance programmes	■
Automatic recognition to fill beans	■
Power Switch	■

Technical data



IMPRESSA S9 One Touch

Key Features

Coffee grounds container (portions)	approx. 16
Connector System©	■
Professional Cappuccino Frother	■
Easy Cappuccino Frother	accessory
2-stage frothing nozzle	accessory
Rotary Switch	■
Clear text display	■
Graphic display	■
Height-adjustable coffee spout	66 – 146 mm
Automatic recognition to empty tray	■
Active bean monitoring	■
Adjustable coffee strength	5 strengths
Adjustable amount of water	■
Integrated Cappuccino rinsing programme	■
Integrated Cappuccino cleaning programme	■
Steam and hot water fonction	■
Energy Save Mode (E.S.M.©)	■
Cappuccino and Latte Macchiato at the touch of a button, without moving cup	■
Dispensing height of Cappuccino frother	120 mm
Cup illumination	■
Counter for cups dispensed	■

JURA Elektroapparate AG

Unsere Produkte sind stets auf dem neusten Stand der Technik. Deshalb sind Änderungen der technischen Daten vorbehalten.

Technical data



IMPRESSA S9 One Touch


Information menu	■
Milk container	Stainless steel vacuum milk container
Sound design	■
Cup tray	■
Programming	
Programmable switch-on time daily option	■
Programmable switch-off time daily option	■
Programmable coffee strength	■
Programmable water quantity for coffee	■
Programmable hot water and steam portions	■
Programmable brewing temperature	3 strengths
Three programmable brewing temperature levels for hot water	■

Technical data



IMPRESSA S9 One Touch

Facts

Water tank capacity	2.7 l
Bean container with aroma preservation cover	280 g
Cable length	app. 1.1 m
Voltage	230 V AC
Power	1450 W
Intensity of current	10 A
Weight	11.9 kg
Dimensions (W x H x D)	34.5 x 35 x 39 cm
Tests	CE 
Artikelnummer / Farbe	CH: 13360 Platin EU: 13361 Platin INT: 13424 Platin
EAN-Code	CH: 7610917133604 Platin EU: 7610917133611 Platin INT : 7610917134243 Platin
Swiss Made	