

AUXILIARY UNITS

coffee wakes up the world



cafemat!

bistro!



presto!



combiNation



Bistro easy



Auxiliary Units ... from professionals
for professionals

WMF AG Coffee Machines International
D-73312 Geislingen/Steige
Phone: +49 73 31 - 25 84 82
Fax: +49 73 31 - 25 87 92
professional@wmf.com <http://www.wmf.com>

2904 # 63 8096 0391 Printed in Germany 02.09

AUXILIARY UNITS



Contents

Cup & Cool 4 - 5

Cup Racks 6 - 7

Cooler 8 - 9

Dispenser / Filter 10-11

Mobile Stations 12-13

Additions 14-15

STREETWORKER



bistro! cafemat!



presto!



combiNation



Bistro easy



CUP & COOL

- Cup Rack & Milk Cooler



presto! / bistro! [wide]

03 9019 0500



removable milk tank with 9.5 litre capacity
 45 to 130 cups, mugs or glasses
 for use with the WMF bistro! and presto! coffee machines
 2 heatable shelves made from coated stainless steel
 which is finger mark resistant
 elegant styling in matching glass design
 suitable for self-service
 2 separate on / off switches for the
 cup rack (heated) and auxiliary cooler
 safety temperature switch for cup rack
 optional illumination (different colours adjustable)
 safely regulated milk temperature due to thermostat

Rated power	0,2 kW
Power supply	230 V
Width	359 mm
Height	528 mm
Depth	517 mm
Empty weight	35 kg

presto! / bistro! [narrow]

03 9019 0010



removable milk tank with 4 litre capacity
 45 to 190 cups, mugs or glasses
 for use with the WMF bistro! and presto! coffee machines
 3 heatable shelves made from coated stainless steel
 which is finger mark resistant
 elegant styling in matching glass design
 suitable for self-service
 2 separate on / off switches for the
 cup rack (heated) and auxiliary cooler
 safety temperature switch for cup rack
 optional illumination (different colours adjustable)
 safely regulated milk temperature due to thermostat

Rated power	0,2 kW
Power supply	230 V
Width	275 mm
Height	528 mm
Depth	517 mm
Empty weight	34 kg

combination

03 9465 0001



removable milk tank with 9.5 litre capacity
 60 to 90 cups, mugs or glasses
 2 heatable shelves made from safety glass
 2 separate on / off switches for the
 cup rack (heated) and auxiliary cooler
 safety temperature switch for cup rack

Rated power	0,02 kW
Power supply	230 V
Width	350 mm
Height	604 mm
Depth	516 mm
Empty weight	32 kg



CUP RACKS

Bistro easy

03 9017 1600



50 to 80 cups, mugs or glasses
 3 heatable shelves made from safety glass
 elegant styling in matching design
 suitable for self-service operation
 on / off switches (rear location option)
 safety temperature switch

Rated power	0,15 kW
Power supply	230 V
Width	310 mm
Height	568 mm
Depth	380 mm
Empty weight	20 kg

combination

03 9470 0001



90 to 140 cups, mugs or glasses
 3 heatable shelves made from safety glass
 elegant styling in matching design
 suitable for self-service operation
 on / off switches (rear location option)
 safety temperature switch

Rated power	0,21 kW
Power supply	230 V
Width	350 mm
Height	604 mm
Depth	498 mm
Empty weight	25 kg

presto! / bistro! [wide]

03 9018 0500



88 to 320 cups, mugs or glasses
 for use with the WMF bistro! and presto! coffee machines
 4 heatable shelves made from coated stainless steel which is
 finger mark resistant
 elegant styling in matching design
 suitable for self-service operation
 on / off switches
 safety temperature switch
 optional illumination (different colours adjustable)

Rated power	0,2 kW
Power supply	230 V
Width	359 mm
Height	528 mm
Depth	517 mm
Empty weight	ca. 29 kg

presto! / bistro! [narrow]

03 9018 0010



60 to 260 cups, mugs or glasses
 for use with the WMF bistro! and presto! coffee machines
 4 heatable shelves made from coated stainless steel which is
 finger mark resistant
 elegant styling in matching design
 suitable for self-service operation
 on / off switches
 safety temperature switch
 optional illumination (different colours adjustable)

Rated power	0,2 kW
Power supply	230 V
Width	275 mm
Height	528 mm
Depth	517 mm
Empty weight	ca. 24 kg

Cup Stacker

03 9016 0005

cups warmed to the perfect temperature,
 handles only warm
 see-at-a-glance stacking and rotation,
 with 6 removable spoon holders
 variable guide bars for individual adjustment to cup size
 modern styling with clear/silver plastic trim
 separate on / off switch
 cup capacity adjustable to hold 60 to 90 coffee/espresso cups,
 dia. 55-95 mm

Rated power	0,2 kW
Power supply	230 V
Ø Base plate	415 mm
Height	690 mm
Empty weight	16 kg



COOLER

Under Machine Cooler* bistro!

03 9467 0002



under machine cooler for plenty of milk when space on the counter is limited temperature adjustable from 0°- 8°C removable milk tank with 9.5 litres capacity separate on / off switch milk hose neatly routed through the drip tray for use with the bistro!

Rated power	0,04 kW
Power supply	230 V
Width	450 mm
Height	240 mm
Depth	560 mm
Empty weight	22 kg

Under Machine Cooler* Bistro easy

03 9467 0001



under machine cooler for plenty of milk when space on the counter is limited temperature adjustable from 0°- 8°C removable milk tank with 9.5 litres capacity separate on / off switch milk hose neatly routed through the drip tray for use with the Silverline, bistro! & Bistro easy coffee machines milk hose neatly routed through the separately needed drip trays **

Rated power	0,04 kW
Power supply	230 V
Width	450 mm
Height	240 mm
Depth	560 mm
Empty weight	22 kg

**03 9802 0000 milk hose neatly routed through the drip tray



**03 9802 1000 milk hose neatly routed through the drip tray and with lowered drip tray



Auxiliary Cooler Bistro easy

03 9181 1700



integrated cooler for infinitely variable, individual temperature control
removable 4-litres stainless steel milk tank
dishwasher-proof
lockable
includes 2 chocolate sprinklers

Rated power	0,07 kW
Power supply	230 V
Width	247 mm
Height	568 mm
Depth	528 mm
Empty weight	30 kg

Auxiliary Cooler combination

03 9460 0001



cools up to 4 litres of milk
infinitely adjustable cooling system
removable milk tank
lockable
includes 2 chocolate sprinklers

Rated power	0,07 kW
Power supply	230 V
Width	250 mm
Height	632 mm
Depth	560 mm
Empty weight	32 kg

Auxiliary Cooler*

03 9192 0001




integrated cooler for infinitely automatic temperature control from 2°- 6°C
removable milk tank with approx. 6.5 litres capacity
separate on / off switches
dishwasher-proof
optionally lockable

Rated power	0,09 kW
Power supply	230 V
Width	230 mm
Height	350 mm
Depth	517 mm
Empty weight	16,5 kg

Under Counter Cooler*

03 9466 0001



under counter cooler with 9.5 litres capacity
removable milk tank
separate on / off switches
only for use with an appropriately equipped coffee machine (combiNationS and E, Bistro easy, bistro! & presto!)

Rated power	0,04 kW
Power supply	230 V
Width	325 mm
Height	285 mm
Depth	535 mm
Empty weight	20 kg

max. difference top edge counter to top edge of supporting surface cooler machine: 365 mm

*These coolers are in connection with WMF coffee machines suitable for plug & clean (dependent on the configuration & type)

*These coolers are in connection with WMF coffee machines suitable for plug & clean (dependent on the configuration & type)

DISPENSER

&

FILTER



Chocolate Dispenser Bistro easy

03 9420 1002 / 03 9410 1002



accurate chocolate powder portioning
 hourly output 140 cups
 high-quality mixer ensures creamy consistency
 constant quality and high product utilisation
 2 dispensing keys for cup and mug or pot
 hopper capacity 2 kg
 self-service version with 1 key and lockable product hopper
 display (e.g. for 'empty' message)
 easy operating, cleaning and maintenance system

Rated power	2,2 kW
Power supply	230 V
Width	240 mm
Height	724 mm
Depth	465 mm
Empty weight	22 kg

Chocolate Dispenser combination



accurate chocolate powder portioning
 hourly output 140 cups
 high-quality mixer ensures creamy consistency
 constant quality and high product utilisation
 standard version has 2 product dispensing keys (variable from 1 to 3 keys as required)
 accounting, setting and error messages via coffee machine display
 lockable hopper optional
 machine does not have an independent power and water supply
 designed for use only in conjunction with a coffee machine (combiNationF+ S)

Rated power	0,2 kW
Power supply	230 V
Width	250 mm
Height	804 mm
Depth	590 mm
Empty weight	25 kg

Tank Filter

33 2332 2000



tank filter for WMF presto! and WMF 1000!
 coffee machines with water tank to reduce scaling
 and improve water quality
 flavour optimisation
 excellent coffee flavour – made with excellent
 water for consistent coffee quality
 extends the life of the high-quality
 coffee machine components
 lower servicing and maintenance costs
 filters out, bonds, absorbs and
 reduces additives in water
 easy to install

Your WMF presto! coffee machine calculates & displays when it's time to change the filter

You should change the filter when shown on the display and latest after 3 months

Grouts Separator

03 9011 0001



simple, clean, fast, reliable solution for collection
 and disposal of coffee grouts
 the grouts sensor causes a message to be displayed
 when the container is full
 includes a grouts collector

If connected to a WMF Programat GV, an additional assembly kit is necessary

Additional grouts containers can be ordered by quoting 03 9011 1001

Capacity	12 litres
Height	579 mm
Width	314 mm
Depth	440 mm



MOBILE STATIONS



Mobile Coffee Station

03 9491 0001 | 03 9491 0002 | 03 9491 0003

Place your coffee machine to suit your requirements independent of a fixed water supply and drain; power supply required

Space for one coffee machine or one coffeemachine with additional units or a vending unit (e.g. coin checker) and with different water supply according to the optional equipment of the coffee machine

Rated power 3,0 kW
Power supply 230 V
Fresh water tank approx. 25 liters
Drain tank approx. 13 liters

Width 850 mm
Height 900 mm
Depth 780 mm

NEW



Mobile Coffee Station

03 9491 0011 | 03 9491 0012

Place your coffee machine to suit your requirements independent of a fixed water supply and drain; power supply required
2 adjustable castors, 3 power supplies, minimum 2 push trays for the storage of coffee, cups ...

Space for one coffee machine with additional units such as cooler plus cup rack or a vending unit (e.g. coin checker) and with different water supply according to the optional equipment of the coffee machine

NEW

Technical group

03 9490 1000

ideal for counter installation and locations without a water supply
3 times 230 V connection
(shock-proof plug) included



Rated power 3,0 kW
Power supply 230 V
Fresh water tank approx. 25 litres
Drain tank approx. 13 litres
Width 1250 mm
Height 900 mm
Depth 780 mm

Rated power 0,2 kW
Power supply 230 V
Fresh water tank 25 litres
Drain tank 13 litres
Width 565 mm
Height 640 mm
Depth 635 mm



Mobile Coffee Station presto!

Type 9171

large shelf (772 mm x 685 mm)
metal parts powder coated in SilverDupont
rugged steel frame
large castors with adjustable brake (dia. 125 mm)
stable metal hoop to protect handle and edges
various versions
optionally with up to 3 slot-in trays

Width 850 mm
Height 970 mm
Depth 685 mm
Empty weight 32 - 45 kg



03 9171 0001

03 9171 2001

03 9171 1001

03 9171 9001

Slot-in tray for use with the mobile coffee station
Empty weight approx. 10 kg

EXTRA CONVENIENCE:

If equipped with illumination, the machine can be plugged in the multiple socket fixed to the steel frame

ADDITIONS

Paper Cup Dispenser

03 9199 0009



suitable for milk cooler 9192
applicable for 2 packs of paper cups
with a length of 390 mm each
For paper cups with Ø 60-90mm

Width	230 mm
Height	178 mm
Depth	500 mm

Milk Cooler

03 9159 1001



for storage of cooled milk
removable inner container with up to 3 litres capacity
dishwasher-proof
dispensing via intake hose at front or rear or side
cooling temperature max. 25°C below ambient temperature

Note: Power unit only to be operated indoors, in a dry place and in an upright position!

Rated power	0,05 kW
Power supply	230 V
Width	190 mm
Height	278 mm
Depth	330 mm
Empty weight	2,8 kg

Jug Tray



available as additional component to the cafemat!
brewing arm allows various jug heights
to be filled
height adjustable (in increments) jug tray is fitted
with drip grating
made from 18/10 stainless steel for easy
cleaning and attractive appearance

Width	210 mm
Depth	185 mm
Min. clear height	167 mm
Max. clear height	380 mm

Tetrapack Holder easy

03 9040 0001



for attachment on the left side of a Bistro easy
fits a standard 1 litre pack of long-life milk
made from 18/10 stainless steel